









Overview distribution manholes

Series		Wall mounting	Series 400	Series 500		Series 600		Telescopic compact chambers manifolds	
 Design Type V  Design Type L									
Type		WM	R-400 S-400	L-500 L-520	L-540	L-600	V-600	L-750-T	V-750-T
Circles		2-8	2-6	2-12 / 2-8	2-6	2-8	2-12	2-10	2-12
Abmessungen (mm)	Diameter / L x W	600-1200 x 230	400	500 x 500 / 650	500 x 500 / 650	630	630	750	750
	Height	275	650	650	650	850	850	850-1000	850-1000
Schacht-abdeckung	Load class	-	A 15	A 15	A 15	A 15	A 15	A 15 / B 125 / D400	A 15 / B 125 / D400
	Telescopic cover	-	○	○	○	-	-	■	■
Option balancing valve		-	-	○	○	○	-	○	-

Series		Telescopic Chamber manifolds				Heavy-Duty Spiral-Pipe Chambers	
 Design Type V  Design Type H							
Type		L-1200-T	V-1200-T V-1300-T	H-1400-T	H-1500-T	H-1500-WiRo	Submarine
Circles		2-16	2-24	11-32	24-40	12-40	4-200
Dimensions (mm)	Diameter	1150	1150	1400	1500	1560	1800 - 2200
	Height (depending on number of circles)	1350-1600	1350-1600	1600-1750	1700-1850	1850	2000 - 2800
Manhole cover	Load class	A 15 / B 125 / D 400	A 15 / B 125 / D 400	A 15 / B 125 / D 400	A 15 / B 125 / D 400	D 400	A 15 / B 125 / D 400
	Telescopic cover	■	■	■	■	-	○
Option balancing valve		○	○ up to 16 circles	○	○	○	○
with verifiable static calculation (up to SLW 60)		-	-	-	-	■	■

■ = Standard ○ = Optional

Details on equipment and dimensions can be found in the respective product information of the distribution manholes